



Heat savings and district heating in TIMES-DTU model

Petrovic, Stefan

Publication date:
2014

Document Version
Publisher's PDF, also known as Version of record

[Link back to DTU Orbit](#)

Citation (APA):
Petrovic, S. (Author). (2014). Heat savings and district heating in TIMES-DTU model. Sound/Visual production (digital)

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.


Heat savings and district heating in TIMES-DTU model



Stefan Petrović, Energy Systems Analysis group, Technical
University of Denmark

Model built by:

- Energy Systems Analysis group, DTU
- IntERACT group, Danish Energy Agency
- E4SMA



- Heat savings and district heating in the past 40 years
- Modelling of heat savings in TIMES-DTU
- Modelling of district heating in TIMES-DTU
- Heat savings and district heating until 2050 – results from TIMES-DTU




Heat savings and district heating in the past 40 years

- Denmark was totally dependent on the import of oil in 1973
- Oil has been replaced by the mix of natural gas, coal and renewables
- Primary energy supply remained the same
- Despite the growth in building mass by more than 50%, primary energy consumed for heating decreased by more than 30 %
- District heating share increased from 28 % to 54 %

Danish goals for the future

- 50 % of electricity production from wind starting from 2020
- No fossil fuels in production of electricity and heat from 2035
- No fossil fuels in society starting from 2050
- **What is the role of heat savings and district heating ?**

Supply of heat and DHW in TIMES-DTU




Heat savings in TIMES-DTU



Before TIMES-DTU

- Detailed calculations of potentials and costs were done for 360 building types
- Different levels for five different elements (walls, floors, ..) were considered

Heat savings in TIMES-DTU



Heat savings in TIMES-DTU


Before TIMES-DTU

- Detailed calculations of potentials and costs were done for 360 building types
- Different levels for five different elements (walls, floors, ..) were considered
- Least expensive level was chosen for each element

Inputs to TIMES-DTU

- Curves of potentials and costs have been grouped by:
 - region (DKE and DKW)
 - building type (Detached and Multistorey)
 - construction year (built before and after 1972)
 - position relative to existing district heating areas (Central, Decentral, Individual)
- Curves of potentials and costs have been approximated with three step-curves

Heat savings in TIMES-DTU – potentials and costs




Heat savings in TIMES-DTU



- Heat savings deliver "heating services" according to heat degree days without DHW
- Heat savings are delivering "heating services" without any operation costs
- Different "steps" of heat savings have different lifetimes ranging from 30 to 40 years
- Maximal implementation rate is 10% out of total heat savings potential per time period


District heating in TIMES-DTU



District heating in TIMES-DTU

- Two geographical regions: DKE and DKW
- Two types of district heating networks: Central and Decentral


District heating in TIMES-DTU – Central and Decentral areas



District heating in TIMES-DTU

- Two geographical regions: DKE and DKW
- Two types of district heating networks: Central and Decentral
- Two types of district heating areas: DH and Next-to-DH areas


District heating in TIMES-DTU – DH and Next-to-DH areas



District heating in TIMES-DTU

- Two geographical regions: DKE and DKW
- Two types of district heating networks: Central and Decentral
- Two types of district heating areas: DH and Next-to-DH areas
- Two types of expansion of DH – within existing DH areas and to Next-to-DH areas
- Potentials and costs of expanding DH networks have been approximated with two-step curves

District heating in TIMES-DTU – expansion curves



District heating in TIMES-DTU

- Two geographical regions: DKE and DKW
- Two types of district heating networks: Central and Decentral
- Two types of district heating areas: DH and Next-to-DH areas
- Two types of expansion of DH – within existing DH areas and to Next-to-DH areas
- Potentials and costs of expanding DH networks have been approximated with two-step curves
- Lifetimes and invest. costs are different for transmission and distribution pipes and connecting pipes and heat exchangers


Results from TIMES-DTU




Three basic scenarios:

- Base – base scenario without any policy measures being implemented.
- WLP (Wind Low Production) – starting from 2020 at least 50 % of electricity needs to be produced from wind power.
- WLP-NFE (Wind Low Production – Non Fossil Energy) – in addition to WLP scenario, no fossil fuels will be used for production of electricity and heat after 2035.


Results from TIMES-DTU – Heat supply




Results from TIMES-DTU – Central DH production




Results from TIMES-DTU – Decentral DH production



Results from TIMES-DTU – Heat savings divided by building type



Results from TIMES-DTU – heat savings divided by geographical area



Thank you for your attention

Questions and answers

Contact:

Stefan Petrovic, e-mail: stpet@dtu.dk

mobile: 2465 5732